Author Index

Aginsky, V.N.
Determination of the age of ballpoint pen ink by gas and densitometric thin-layer chromatography 678(1994)119
Althaus, F.R., see Panzeter, P.L. 678(1994)35
Andersson, E., see Buscher, B.A.P. 678(1994)145
Andrzejewski, D., see Weisz, A. 678(1994)77
Annino, R.
Industrial-grade field-mountable gas chromatograph for process monitoring and control 678(1994)279
Barbaro, A.M., see Biagi, G.L. 678(1994)127
Barry, E.F., see Ombaba, J.M. 678(1994)319
Baškevičiūtė, B., see Pesliakas, H. 678(1994)25
Belgaied, J.E., Hoyos, M. and Martin, M.
Velocity profiles in thermal field-flow fractionation 678(1994)85
Betts, T.J.
Comparison of two esterified γ-cyclodextrins with some other chirally selective gas chromatographic phases using volatile oil constituents 678(1994)370
Biagi, G.L., Barbaro, A.M. and Recanatini, M.
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. III. Study of the TLC equations for a series of ionizable quinolone derivatives 678(1994)127
Billiet, H.A.H., see Valkó, I.E. 678(1994)139
Boluda, R., see Redondo, M.J. 678(1994)375
Bonfichi, R.
Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics 678(1994)213
Brinkman, U.A.Th., see Brouwer, E.R. 678(1994)223
Brinkman, U.A.Th., see Rinkema, F.D. 678(1994)289
Brouwer, E.R. and Brinkman, U.A.Th.
Determination of phenolic compounds in surface water using on-line liquid chromatographic precolumn-based column-switching techniques 678(1994)223
Buscher, B.A.P., Irth, H., Andersson, E., Tjaden, U.R. and Van der Greef, J.
Determination of inositol phosphates in fermentation broth using capillary zone electrophoresis with indirect UV detection 678(1994)145
Cardwell, T.J. and Laughton, W.R.
Analysis of fluoride, acetate and formate in Bayer liquors by ion chromatography 678(1994)364
Chen, N., Zhang, Y., Terabe, S. and Nakagawa, T.
Effect of physico-chemical properties and molecular structure on the micelle–water partition coefficient in micellar electrokinetic chromatography 678(1994)327
Ciolino, L.A. and Dorsey, J.G.
Phosphorimetry and its potential for the study of surface heterogeneity of chromatographic silica-based stationary phases 678(1994)201
Cohen, N. and Grushka, E.
Controlling electroosmotic flow in capillary zone electrophoresis 678(1994)167
Damm, J.B.L. and Overklift, G.T.
Indirect UV detection as a non-selective detection method in the qualitative and quantitative analysis of heparin fragments by high-performance capillary electrophoresis 678(1994)151
Dass, C., Mahalakshmi, P. and Grandberry, D.
Manipulation of ion-pairing reagents for reversed-phase high-performance liquid chromatographic separation of phosphorylated opioid peptides from their non-phosphorylated analogues 678(1994)249
Davis, B.H., see Shi, B. 678(1994)97
Derksen, M.W.J., see Vervoort, R.J.M. 678(1994)1
Dorsey, J.G., see Ciolino, L.A. 678(1994)201
Drabowicz, J., see Kudzin, Z.H. 678(1994)299
Erbersdobler, H.F., see Ruttkat, A. 678(1994)103
Font, G., see Redondo, M.J. 678(1994)375
Font, G., see Viana, E. 678(1994)109
Frank, J., see Valkó, I.E. 678(1994)139
Froimowitz, M., see Yin, D. 678(1994)176
Gabel, D., see Harfst, S. 678(1994)41
Godber, J.S., see Shin, T.-S. 678(1994)49
Golebiowski, C., see Kumar, N. 678(1994)259
Grandberry, D., see Dass, C. 678(1994)249
Grushka, E., see Cohen, N. 678(1994)167
Hachisako, H., see Murakami, R. 678(1994)180
Harfst, S., Moller, D., Ketz, H., Rösler, J. and Gabel, D.
Reversed-phase separation of ionic organoborate clusters by high-performance liquid chromatography 678(1994)41
Hernández, F., see Sancho, J.V. 678(1994)59
Hogendoorn, E.A., see Sancho, J.V. 678(1994)59
Horng, J.-Y. and Huang, S.-D.
Determination of the semi-volatile compounds nitrobenzene, isophorone, 2,4-dinitrotoluene and 2,6-dinitrotoluene in water using solid-phase microextraction with a polydimethylsiloxane-coated fibre 678(1994)313
Hoyos, M., see Belgaied, J.E. 678(1994)85
Huang, S.-D., see Horng, J.-Y. 678(1994)313
Ichitani, Y., see Matsumoto, K. 678(1994)241
Imai, K., see Matsumoto, K. 678(1994)241
Irth, H., see Buscher, B.A.P. 678(1994)145
Ito, Y., see Ma, Y. 678(1994)233
Ito, Y., see Weisz, A. 678(1994)77
Kawamoto, K., see Kobayashi, M. 678(1994)351
Keogh, R.A., see Shi, B. 678(1994)97
Ketz, H., see Harfst, S. 678(1994)41
Khanolkar, A.D., see Yin, D. 678(1994)176
Kitaoka, Y., see Kobayashi, M. 678(1994)351
Kobayashi, M., Kitaoka, Y., Tanaka, Y. and Kawamoto, K.
Electrophoretic behaviour and infrared spectra of dihydroxyboryl compounds in aqueous di- and tricarboxylic acids: paper electrophoresis as a tool for determining the chemical states of a substance in solution 678(1994)351

Krasnopolsky, Yu.M., see Menzeleev, R.F. 678(1994)183
Krock, K.A. and Wilkins, C.L.
Quantitative aspects of a valve-based, multi-stage multidimensional gas chromatography–infrared spectroscopy–mass spectrometry system 678(1994)265
Kudzin, Z.H., Sochacki, M. and Drabowicz, J.
Carboxylic anhydrides–orthoesters —novel reagent systems for derivatization of aminoalkanephosphonic acids for characterization by gas chromatography and mass spectrometry. III 678(1994)299
Kumar, N., Windisch, V., Trivedi, P. and Golebiowski, C.
Separation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor drug substance diastereomers, and their analogues on β-cyclodextrin stationary phase 678(1994)259
Laughton, W.R., see Cardwell, T.J. 678(1994)364
López, F.J., see Sancho, J.V. 678(1994)59
Louter, A.J.H., see Rinkema, F.D. 678(1994)289
Luyben, K.Ch.A.M., see Valkó, I.E. 678(1994)139
Ma, Y. and Ito, Y.
Separations of basic amino acid benzyl esters by pH-zone-refining counter-current chromatography 678(1994)233
Mahalakshmi, P., see Dass, C. 678(1994)249
Makriyannis, A., see Yin, D. 678(1994)176
Mañes, J., see Viana, E. 678(1994)109
Maris, F.A., see Vervoort, R.J.M. 678(1994)1
Martin, M., see Belgaied, J.E. 678(1994)85
Matsumoto, K., Ichitani, Y., Ogasawara, N., Yuki, H. and Imai, K.
Precolumn fluorescence derivatization of carnitine and acylcarnitines with 4-(2-aminoethylamino)-7-nitro-2,1,3-benzoxadiazole prior to high-performance liquid chromatography 678(1994)241
Menzeleev, R.F., Krasnopolsky, Yu.M., Zvonkova, E.N. and Shvets, V.I.
Preparative separation of ganglioside GM_3 by high-performance liquid chromatography 678(1994)183
Moller, D., see Harfst, S. 678(1994)41
Moltó, J.C., see Viana, E. 678(1994)109
Motozato, Y., see Murakami, R. 678(1994)180
Murakami, R., Hachisako, H., Yamada, K. and Motozato, Y.
Gel permeation chromatographic properties of poly(vinyl alcohol) gel particles prepared by freezing and thawing 678(1994)180
Nakagawa, T., see Chen, N. 678(1994)327
Nakai, H., see Nishi, H. 678(1994)333
Nakamura, K., see Nishi, H. 678(1994)333
Nishi, H., Nakamura, K., Nakai, H. and Sato, T.
Chiral separation of drugs by capillary electrophoresis using β-cyclodextrin polymer 678(1994)333
Novaković, J., Tvrzická, E. and Pacáková, V.
High-performance liquid chromatographic determination of equine estrogens with ultraviolet absorbance and electrochemical detection 678(1994)359
Ogasawara, N., see Matsumoto, K. 678(1994)241
Ombaba, J.M. and Barry, E.F.
Determination of (methylcyclopentadienyl)manganesetricarbonyl in gasoline by capillary gas chromatography with alternating current plasma emission detection 678(1994)319
Overklift, G.T., see Damm, J.B.L. 678(1994)151
Pacáková, V., see Novaković, J. 678(1994)359
Panzeter, P.L., Zweifel, B. and Althaus, F.R.
Fast protein liquid chromatographic purification of poly(ADP–ribose) polymerase and separation of ADP–ribose polymers 678(1994)35
Peng, C.T.
Retrieval of structure information from retention index (Review) 678(1994)189
Pesliakas, H., Žutautas, V. and Baškevičiūtė, B.
Immobilized metal-ion affinity partitioning of NAD^+-dependent dehydrogenases in poly(ethylene glycol)–dextran two-phase systems 678(1994)25
Recanatini, M., see Biagi, G.L. 678(1994)127
Redondo, M.J., Ruiz, M.J., Boluda, R. and Font, G.
Determination of thiobencarb residues in water and soil using solid-phase extraction discs 678(1994)375
Rinkema, F.D., Louter, A.J.H. and Brinkman, U.A.Th.
Large-volume injections in gas chromatography–atomic emission detection: an approach for trace-level detection in water analysis 678(1994)289
Rösler, J., see Harfst, S. 678(1994)41
Ruiz, M.J., see Redondo, M.J. 678(1994)375
Ruttkat, A. and Erbersdobler, H.F.
Degradation of furosine during heptafluorobutyric anhydride-derivatization for gas chromatographic determination 678(1994)103
Sancho, J.V., López, F.J., Hernández, F., Hogendoorn, E.A. and Van Zoonen, P.
Rapid determination of glufosinate in environmental water samples using 9-fluorenylmethoxycarbonyl precolumn derivatization, large-volume injection and coupled-column liquid chromatography 678(1994)59
Sato, T., see Nishi, H. 678(1994)333
Shi, B., Keogh, R.A. and Davis, B.H.
Gas chromatographic separation of deuterated and optical isomers of di-2-butyl ethers 678(1994)97
Shin, T.-S. and Godber, J.S.
Isolation of four tocopherols and four tocotrienols from a variety of natural sources by semi-preparative high-performance liquid chromatography 678(1994)49
Shvets, V.I., see Menzeleev, R.F. 678(1994)183
Sochacki, M., see Kudzin, Z.H. 678(1994)299
Strydom, D.J.
Chromatographic separation of 1-phenyl-3-methyl-5-pyrazolone-derivatized neutral, acidic and basic aldoses 678(1994)17
Tanaka, Y., see Kobayashi, M. 678(1994)351
Terabe, S., see Chen, N. 678(1994)327
Thanh, H.H.
Migration behaviour of triiodinated X-ray contrast media containing diol groups as borate complexes in capillary electrophoresis 678(1994)343
Tjaden, U.R., see Buscher, B.A.P. 678(1994)145
Trivedi, P., see Kumar, N. 678(1994)259
Tsukamoto, T. and Ushio, T.
Determination of (2*S*, 3*S*, 5*R*)-3-methyl-7-oxo-3-(1*H*-1,2,3-triazol-1-ylmethyl)-4-thia-1-azabicyclo[3.2.0]-heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) and piperacillin in pharmaceutical preparations by high-performance liquid chromatography 678(1994)69
Tvrzická, E., see Novaković, J. 678(1994)359
Ushio, T., see Tsukamoto, T. 678(1994)69

Valkó, I.E., Billiet, H.A.H., Frank, J. and Luyben, K.Ch.A.M.
Effect of the degree of substitution of (2-hydroxy)propyl-β-cyclodextrin on the enantioseparation of organic acids by capillary electrophoresis 678(1994)139
Van Zoonen, P., see Sancho, J.V. 678(1994)59
Van der Greef, J., see Buscher, B.A.P. 678(1994)145
Vervoort, R.J.M., Derksen, M.W.J. and Maris, F.A.
Selection of stationary phases for the liquid chromatographic analysis of basic compounds using chemometric methods 678(1994)1
Viana, E., Moltó, J.C., Mañes, J. and Font, G.
Clean-up and confirmatory procedures for gas chromatographic analysis of pesticide residues. Part II 678(1994)109
Weisz, A., Andrzejewski, D. and Ito, Y.
Preparative separation of components of the color additive D&C Red No. 28 (phloxine B) by pH-zone-refining counter-current chromatography 678(1994)77
Wilkins, C.L., see Krock, K.A. 678(1994)265
Windisch, V., see Kumar, N. 678(1994)259
Yamada, K., see Murakami, R. 678(1994)180
Yin, D., Khanolkar, A.D., Makriyannis, A. and Froimowitz, M.
Chiral resolution of 1,3-dimethyl-4-phenylpiperidine derivatives using high-performance liquid chromatography with a chiral stationary phase 678(1994)176
Yuki, H., see Matsumoto, K. 678(1994)241
Zhang, Y., see Chen, N. 678(1994)327
Žutautas, V., see Pesliakas, H. 678(1994)25
Zvonkova, E.N., see Menzeleev, R.F. 678(1994)183
Zweifel, B., see Panzeter, P.L. 678(1994)35